Product Information

71 72 610

Bolt Cutter



- Cutting capacity up to 48 HRC hardness
- Robust cutting edges are additionally induction-hardened, cutting edge hardness approx. 62 HRC
- Forged-in stopper with comfortable shock- absorber
- Good access due to very flat construction of head and joint area
- Ergonomically angled handles to minimise effort
- Sturdy non-slip two-colour multi-component handle sleeves
- Precise adjustment (12 positions) by eccentric bolt
- High cutting performance with minimum effort due to optimum coordination of the cutting edge angle and transmission ratio
- Bolted cutter head, replaceable

General	
Part No.	71 72 610
EAN	4003773066767
Head	grey atramentized
Handles	with multi-component handles
Weight	2,550 g
Dimensions	610 x 122 x 34 mm
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

Technical details	
HRC 19	Ø 9 mm
HRC 40	Ø 8 mm
HRC 48	Ø 7 mm
Cutting edge length mm	34 mm
Head thickness	33 mm

Technical changes and errors excepted






KNIPEX 71 72 610
MADE IN GERMANY
19 HRC 69 MAX
46 HRC 67 MAX


KNIPEX 71 72 610
MADE IN GERMANY
19 HRC 69 MAX
46 HRC 67 MAX


KNIPEX 71 72 610
MADE IN GERMANY
19 HRC 69 MAX
46 HRC 67 MAX


KNIPEX 71 72 610
MADE IN GERMANY
19 HRC 69 MAX
46 HRC 67 MAX


KNIPEX 71 12 610
MADE IN GERMANY